

CORGARD 566 CORROSION INHIBITOR

SECTION I: PRODUCT INFORMATION

Product Identifier →

CORGARD 566 Corrosion Inhibitor

Product Use → Corrosion Inhibitor

Manufacturer's Name & Address →

Prairie Petro-Chem

738 – 6th Street **EMERGENCY #**

Estevan, SK Ph: 306-634-5808


S4A 1A4 Fx: 306-634-6694

Product Identification Number (PIN) →

Class 3, UN1993, PG III

Product Description → Amine salt.

WHMIS Classification Symbols →



WHMIS Classification → B-2 Flammable Liquids;

D2-B Materials Causing Other Toxic Effects

(Carcinogenicity)

SECTION II: HAZARDOUS INGREDIENTS

Component → METHANOL

ACGIH OSHA Other

CAS No.	%	TLV	PEL	Limit	Hazard
67-56-1	20-40	200	200	250	Flammable; Toxic
		(skin)		(stel, skin)	

LD₅₀ (Oral, rat) → 5628 mg/kg (1)

LD₅₀ (Dermal, rabbit) → 20000 mg/kg (1)

LC₅₀ (Inhalation, rat) → 64000 ppm for 4 hours (1)

Component → QUATERNARY AMMONIUM CHLORIDE

ACGIH OSHA Other

CAS No.	%	TLV	PEL	Limit	Hazard
61789-71-7	10-30	N/D	N/D	N/D	N/D

*No data available for LD₅₀ and LC₅₀ levels.

Component → ISOPROPANOL

ACGIH OSHA Other

CAS No.	%	TLV	PEL	Limit	Hazard
67-63-0	0.5-1.5	400TWA	N/D	N/D	Flammable; Toxic

LD₅₀ (Oral, rat) → 5045 mg/kg (1)

LD₅₀ (Dermal, rabbit) → 13000 mg/kg (1)

LC₅₀ (Inhalation, rat) → 22600 ppm for 4 hours (1)

SECTION III: PHYSICAL DATA

Physical State (Gas, Liquid, Solid) → Liquid

Odour and Appearance → Dark Brown Liquid;
Pungent Odour

Odour Threshold → N/D

Vapour Pressure mmHg @ 20°C → N/D

Vapour Density → >1

Evaporation Rate → N/D (Butyl Acetate=1)

Boiling Point @ 760 mmHg → N/D

Freezing Point °C → -40°C

pH → 6.0 – 8.0

Specific Gravity @ 20°C → 0.91 - 0.925

Solubility in Water @ 20°C, wt. % → Complete

SECTION IV: FIRE OR EXPLOSION HAZARD

Flash Point → 27°C – Pensky-Martens Closed Cup

Upper Explosive Limit (% by Volume) → N/D

Lower Explosive Limit (% by Volume) → N/D

Auto-Ignition Temperature → N/D

Extinguishing Media → Alcohol or polymer foam for large fires. Carbon dioxide or dry chemical for small fires.

Fire Fighting Procedures → Addition of water to burning fuel will reduce the intensity of the flame.

Hazardous Combustion Products → CO, CO₂

Unusual Fire and Explosion Hazards → Extinguish all nearby sources of ignition. This product may burn with a flame which is invisible in daylight. Mixtures with water and as little as 21% Methanol are flammable.

SECTION V: REACTIVITY DATA

Stability → Product is Stable.

Conditions to Avoid → Heat, Sparks, Open Flames and all other sources of ignition.

Materials to Avoid → Strong oxidizing agents, aluminum, zinc, any metal that displaces hydrogen, acids and alkalis.

Conditions of Reactivity → None.

Hazardous Decomposition Products → May liberate carbon monoxide, carbon dioxide and oxides of sulphur.

SECTION VI: TOXICOLOGICAL PROPERTIES

Route of Entry → Skin Contact	<u>YES</u>
Skin Absorption	<u>YES</u>
Eye Contact	<u>YES</u>
Inhalation	<u>YES</u>
Ingestion	<u>YES</u>





SECTION VI: TOXICOLOGICAL PROPERTIES

(Continued from Page 1)

Effects of Exposure When →

Inhaled – May cause irritation of eyes, nose, throat and respiratory tract. May cause blindness and CNS depression.

In Contact With Skin – Direct contact with vapour, mist or liquid may cause defatting, drying and cracking of the skin. Prolonged and repeated exposures may cause dermatitis. May be absorbed through the skin, causing depression and blindness.

In Contact With Eyes – Conjunctivitis, irritation and inflammation of mucous membranes may occur.

Ingested – May cause irritation of mucous membranes of mouth and throat. May cause CNS depression and blindness. Severe overexposure may cause metabolic acidosis.

Exposure Limits →

See Section II “Hazardous Ingredients.”

Carcinogenicity → The ingredients of this product are not listed as carcinogens by NPT (National Toxicology Program), not regulated as carcinogens by OSHA (Occupational Safety and Health Administration), and have not been evaluated by IARC (International Agency for Research on Cancer) or ACGIH (American Conference of Government Industrial Hygienists).

Reproductive Toxicity → No information is available and no adverse reproductive effects are anticipated.

Mutagenicity → No information is available and no adverse mutagenic effects are anticipated.

Teratogenicity → No information is available and no adverse teratogenic effects are anticipated.

Synergistic Materials → None known.

SECTION VII: PREVENTIVE MEASURES

Respiratory Protection → In closed or confined areas where concentrations are increased, use of a NIOSH approved organic vapour cartridge respirator is recommended. Where the protection factor of the respirator may be exceeded, use of a self-contained breathing apparatus may be necessary.

Protective Gloves → Impervious Gloves.

Eye Protection → Chemical safety goggles or face shield.

Other Protective Equipment → Impervious apron and boots, eye bath and shower.

Ventilation → LOCAL: Preferable
MECHANICAL (General): Acceptable

Spill and Leak Procedure → Eliminate all sources of ignition. Stop or reduce discharge if safe to do so.



Prevent from entering water or sewers. Ventilate enclosed spaces.

LARGE SPILLS: Warn public of potential downwind explosion hazard due to flashback of flammable vapours. Contain by dyking for release to land, or booming/damming for release to water. Recover product and collect contaminated soil or water for treatment and/or disposal.

SMALL SPILLS: Contain by applying sorbent. Collect waste absorbent and contaminated soil for disposal. For significant releases contact regulatory authorities.

Waste Disposal → Dispose of waste materials in an approved incinerator or waste treatment/disposal facility in accordance with applicable regulations. Do not dispose of wastes in local sewer or with normal refuse.

Handling Procedures & Equipment → Ground and bond equipment to prevent static discharge. Use spark resistant tools. Avoid splash filling.

Storage Requirements → Store in a cool, well-ventilated area, away from oxidizers.

Special Shipping Information →

Shipping Name – (TDG) Flammable Liquid, N.O.S. (Methanol)

<u>Prim.Class</u>	<u>Sub.Class</u>	<u>(PIN)U.N.</u>	<u>E/I</u>	<u>Packing Grp</u>
3	-	1993	-	III

SECTION VIII: FIRST AID MEASURES

First Aid Procedures When →

Inhaled – Remove to fresh air. If not breathing give artificial respiration. Obtain medical attention immediately.

In Contact With Skin – Remove contaminated clothing. Flush skin with running water and wash affected areas with soap and water. Obtain medical advice.

In Contact With Eyes – Flush eyes thoroughly with water for 20 minutes, holding eyelids open. Obtain medical attention immediately.

Ingested – If victim is alert and not convulsing, give large quantities of milk, egg whites, gelatin solutions; or if these are not available drink large quantities of water. Avoid alcohol. IMMEDIATELY contact local poison control centre. IMMEDIATELY transfer victim to an emergency centre.

Note to Physician: Methanol can cause optic atrophy and death. If ingestion has occurred less than 2 hours earlier, carry out careful gastric lavage. Take blood for CO₂ combining power and methanol content. Ethanol administration may help metabolize methanol. Give ½ to 1 ml., 50% ethanol per kg of body weight every 2 – 4 hours for 4 days.





Prairie Mud Service

738-6th St. Estevan, SK Ph: 1-306-634-3411

MSDS

(Material Safety Data Sheet)

SECTION VIII: FIRST AID MEASURES

(Continued from Page 1)

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short acting barbiturate drug.

SECTION IX: PREPARATION INFORMATION

Prepared By → Product Safety Committee
(WHMIS Division)

Preparation Date → November 27, 2009

The above information is supplied as a customer service and is provided in good faith. Although it has been based on data drawn from sources deemed to be reliable, Prairie Mud Servicer cannot guarantee its accuracy and assumes no responsibility for conditions resulting from its use.

END OF MSDS

KEY TO ABBREVIATIONS

N/D – No Data Available

LD₅₀ – Lethal Dose

N/A – Not Applicable

LC₅₀ – Lethal Concentration