



Prairie Mud Service Ltd.

"Serving Western Canada with 24 Hour Drilling Mud Service"

MSDS (Material Safety Data Sheet)

SECTION I: IDENTIFICATION OF PRODUCT

COMPANY: **Prairie Mud Service** DATE: Oct 15/09
738 6TH Street PHONE: 306-634-3411
Estevan, SK S4A 1A4 FAX: 306-634-6694

PRODUCT NAME: **MAGMA FIBER**

PRODUCT USE: Oil well drilling fluid additive
CHEMICAL FAMILY: Mineral fiber CAS #: Not available

WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS)

WHMIS CLASSIFICATION: Not WHMIS controlled
WORKPLACE HAZARD: Treat as a nuisance dust

TRANSPORTATION OF DANGEROUS GOODS (TDG)

PROPER SHIPPING NAME: Not regulated under TDG
TDG CLASSIFICATION: Not applicable
UN NUMBER (PIN): Not applicable
PACKING GROUP: Not applicable

SECTION II: HAZARDOUS INGREDIENTS

<u>INGREDIENT</u>	<u>% (w/w)</u>	<u>CAS NUMBER</u>	<u>LD₅₀ Oral-Rat</u>	<u>LC₅₀ Inhal-Rat</u>	<u>ACGIH-TLV</u>
No hazardous ingredients listed.					

SECTION III: HEALTH HAZARDS

ROUTE OF ENTRY: [] EYE CONTACT [] SKIN [] INHALATION [] INGESTION
EYE CONTACT: Mechanical irritant.
SKIN CONTACT: May cause transitory irritation.
INGESTION: No adverse effects expected.
INHALATION: May cause transitory irritation of the upper respiratory tract.
CARCINOGENICITY: IARC; Class 2B; NTP; Not classified; ACGIH; Not classified
TERATOGENICITY: No information available.
REPRODUCTIVE TOXICITY: No information available.
MUTAGENICITY: No information available.
SYNERGISTIC PRODUCTS: No information available.



Prairie Mud Service Ltd.

"Serving Western Canada with 24 Hour Drilling Mud Service"

MSDS (Material Safety Data Sheet)

SECTION IV: FIRST AID MEASURES

SKIN CONTACT: If irritation occurs, or when shift ends, wash with soap and water until clean.

EYE CONTACT: Flush with gently flowing warm water until irritation ceases. If irritation persists, contact a physician.

INGESTION: If large amounts ingested, get immediate medical attention.

INHALATION: Move to area free from dust. If symptoms or irritation persist contact physician. Inhalation may aggravate existing respiratory illness.

SECTION V: PHYSICAL DATA

APPEARANCE AND ODOUR:	White-gray/tan powder; odourless	
SPECIFIC GRAVITY:	2.6	
BOILING POINT (°C):	Not determined	
MELTING POINT (°C):	1315	
SOLUBILITY IN WATER:	<0.2%	pH: 7.0 - 8.0
PERCENT VOLATILE BY VOLUME:	Not applicable	
EVAPORATION RATE:	Not applicable	
VAPOUR PRESSURE (mmHg):	Not applicable	
VAPOUR DENSITY (air = 1):	Not applicable	
BULK DENSITY:	Not available	

SECTION VI: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	Not flammable
FLAMMABLE LIMITS:	Not applicable
EXTINGUISHING MEDIA:	Use media suitable for surrounding materials and packaging.
SPECIAL FIRE FIGHTING PROCEDURES:	Self-contained breathing apparatus required for fire fighting personnel.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	Not known.

SECTION VII: REACTIVITY DATA

STABILITY:	STABLE [XX]	UNSTABLE []
INCOMPATIBILITY (CONDITIONS TO AVOID):	Avoid contact with strong acids; may give off hydrogen sulphide gas.	
CONDITIONS OF REACTIVITY:	Not available.	
HAZARDOUS DECOMPOSITION PRODUCTS:	Not available.	



Prairie Mud Service Ltd.

"Serving Western Canada with 24 Hour Drilling Mud Service"

MSDS (Material Safety Data Sheet)

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR [XX] MAY OCCUR []

SECTION VIII: PREVENTATIVE MEASURES

SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: NIOSH approved dust masks or respirators recommended.

VENTILATION: Use local exhaust ventilation, process enclosure or other engineering controls to maintain PEL's/TLV's

PROTECTIVE GLOVES: Personal preference.

EYE PROTECTION: Safety glasses or goggles recommended.

OTHER PROTECTIVE EQUIPMENT (Specify): Ensure eyewash station and emergency shower are available.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Avoid creating dust. Avoid breathing dust; wear an approved respirator. Practice reasonable caution and personal cleanliness. Launder contaminated clothing before reuse. Avoid eye contact. Store in cool, dry area.

STEPS TO BE TAKEN IN CASE THE MATERIAL IS SPILLED OR RELEASED

Avoid breathing dust; wear an approved respirator. Vacuum up, if possible, to avoid generating airborne dust. Collect uncontaminated material for repackaging. Collect contaminated material in approved containers for disposal. Wash spill area with water.

WASTE DISPOSAL METHOD

Dispose of in accordance with federal, provincial and local regulations. This product may be suitable for disposal in landfills; check with local operator. It is the responsibility of the end-user to determine if material meets the criteria of hazardous waste at the time of disposal.

SECTION IX: PREPARATION

The above information is supplied as a customer service and is provided in good faith. Although it has been based on data drawn from sources deemed to be reliable, Prairie Mud Service cannot guarantee its accuracy and assumes no responsibility for conditions resulting from its use.

DATE ISSUED: October 15, 2009

BY: Product safety committee

PHONE: 306-634-3411