

PRAIRIE MUD BREAKER Safety Data Sheet

Revision Date: November 28, 2017 Review Date: June 14, 2021

Substance key: 000000499457 Revision Date: 11/28/2017 Version : 1 - 1 / CDN

Section 01 - Product and company identification

Trade name: PRAIRIE MUD BREAKER

Material number: 280841

Primary product use: De-emulsifier

Identification of the

company:

Prairie Mud Service 738 6th Street, Estevan,

Sk 306-634-3411

Section 02 - Hazards identification

Classification:

WHMIS controlled: yes Class: B2

D2A D2B

Flammable







Causes eye, skin, and respiratory tract irritation. Harmful if swallowed

Health effects of exposure:

Flammable. Toxic by ingestion. Harmful by inhalation and skin contact. Eye and skin contact will cause burns. Inhalation of spray or mists will cause burns to the respiratory tract. May result in permanent damage. May affect fetal development.

Methanol: toxic by ingestion, inhalation and skin contact. Danger of very serious irreversible effects through ingestion, inhalation and skin contact including blindness. Highly flammable. Teratogen.

Section 03 - Composition/information on ingredients

Hazardous ingredients:

Component	CAS number	Concentration
Methyl alcohol	67-56-1	10 - 30 %
Oxyalkylated alkylphenol		10 - 30 %

Component toxicity information:

Methyl alcohol (67-56-1)

Acute oral toxicity: LD0 428 mg/kg (Humans)

Section 04 - First aid measures

PRAIRIE MUD BREAKER

After inhalation:

Move the victim to fresh air.

Give oxygen or artificial respiration if needed.

Get immediate medical advice/ attention.

Never give anything by mouth to an unconscious person.

After contact with skin:

Remove contaminated clothing and wash affected areas with soap and plenty of water for at least 15 minutes. If redness or skin irritation occurs, seek medical attention.

After contact with eyes:

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

After ingestion:

If swallowed, DO NOT induce vomiting. Get immediate medical advice/ attention.

Advice to doctor / Treatment:

None known.

Section 05 - Fire fighting measures

Flashpoint: 23 - 60 °C Ignition temperature: not determined

Extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Special fire fighting procedure:

Wear full protective clothing and self-contained breathing apparatus.

Cool endangered containers with water spray jet.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Hazardous combustion products:

In case of fire hazardous decomposition products may be produced such as:

Carbon monoxide

Carbon dioxide (CO2)

Burning produces noxious and toxic fumes.

Containers exposed to intense heat from fires should be cooled with water to prevent vapor pressure buildup which could result in container rupture. Container areas exposed to direct flame contact should be cooled with large quantities of water as needed to prevent weakening of container structure.

Section 06 - Accidental release measures

Steps to be taken in case of spill or leak:

Only trained personnel should be involved in spill operations. Wear suitable protective equipment. Ensure adequate ventilation. Remove all ignition sources. Contain spill and pump into proper containers using explosion-proof equipment. Smaller spills may be recovered using an inert non-combustible absorbent material (sand, kieselguhr) and collected into suitable containers. Do not use organic absorbent material. Containers in which spilt substance has been collected must be properly labelled. Spill may be covered with an appropriate foam to hinder the formation of explosive vapours. Wash spill area. Do not allow to enter sewers, storm drains, surface waters or the soil.

Section 07 - Handling and storage

Advice on safe handling:

Keep away from heat, sparks and open flames. - Avoid breathing vapors or contact with skin, eyes, and clothing.- Use only with adequate ventilation and proper protective eyewear, face shield, gloves and clothing. Wash thoroughly after handling. Keep container closed. Wash thoroughly after handling.

Further info on storage conditions:

Keep containers tightly closed in a cool, well-ventilated place.

Handle and open container with care.

Keep away sources of ignition.

Section 08 - Exposure controls / personal protection

Occupational exposure limits:

Component	CAS number	Regulatory list	Type of value	Value 1	Value 2
Methanol	67-56-1	USA. ACGIH Threshold Limit Values (TLV)	8-hour, time- weighted average	200 ppm	
Methanol	67-56-1	USA. ACGIH Threshold Limit Values (TLV)	Short-term exposure limit	250 ppm	

Respiratory protection: Wear an approved respirator when exposed to vapours or to

mists beyond the TLV. Use appropriate filters. Do not exceed filters limitations. TLV = Threshold Limit Value

Hand protection: Fluorinated rubber gloves

Eye protection: Safety goggles

Face-shield

Other protective equipment: Avoid skin contact.

Wear suitable protective clothing.

Section 09 - Physical and chemical properties

Form: Liquid

Color: clear yellowish to yellow

pH: 6.0 - 8.0 Solubility in water: soluble

Density: 0.95 - 0.99 g/cm3

Viscosity / (dynamic): < 30 mPa.s

Section 10 - Stability and reactivity

Thermal decomposition: No decomposition if used as directed.

Chemical stability: Stable

Hazardous Polymerization: Hazardous polymerisation does not occur.

Incompatibility with Keep away from heat.

(Conditions to avoid): Keep away from open flames, hot surfaces and sources

of ignition.

Hazardous decomposition

products

Carbon monoxide and carbon dioxide

Section 11 - Toxicological information

Acute oral toxicity: The product has not been tested. The information is derived

from the properties of the individual components., Toxic

if swallowed.

Skin irritation: irritating

The product has not been tested. The information is derived

from the properties of the individual components.

Eye irritation: irritating

The product has not been tested. The information is derived

from the properties of the individual components.

Section 12 - Ecological information

Product information:

Remarks:

Product must not be released into water without pre-treatment.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component information:

Methanol (67-56-1)

Biodegradation: 99 % (28 d)

Method: OECD Test Guideline 301D

Fish toxicity: LC50 19,000 mg/l (96 h, Oncorhynchus mykiss (rainbow trout))

Daphnia toxicity: LC50 > 10,000 mg/l (24 h)

Bacteria toxicity: IC50 > 1,000 mg/l (3 h, activated sludge)

Section 13 - Disposal considerations

Waste disposal information:

Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities.

Section 14 - Transport information

TDG

Proper shipping name: Flammable liquid, n.o.s.

Class: Packing group: Ш UN/ID number:

UN 1993 Primary risk:

Remarks: Shipment permitted

Hazard inducer(s): Methanol

IATA

Flammable liquid, n.o.s. Proper shipping name:

Class:

Packing group: Ш

UN 1993 UN/ID number:

Primary risk: 3

Shipment permitted Remarks:

Hazard inducer(s): Methanol

IMDG

Proper shipping name: Flammable liquid, n.o.s.

Class: Packing group: Ш UN no.: UN 1993 Primary risk: 3 Hazard inducer(s): Methanol F-E S-E EmS:

Section 15 - Regulatory information

Registration status

DSL: yes NDSL: no

All components of the product are listed on the DSL/Canada.

CEPA

Listed as toxic substance: Not listed Listed as priority substance: Not listed **NPRI** Listed

Section 16 - Other information

The information contained on this SDS is to the best of our knowledge an accurate summary of the data available as of the date of preparation. Prairie Mud Service is not liable for the application or use of this information in situations beyond its control or outside the normal and expected use of its product. Prairie Mud Service assumes no responsibility for damage or injury from the use of the product described herein.