

Distillate 822 SAFETY DATA SHEET

Issue Date: April 17, 2019

Revised: April 27, 2021

Section 1: IDENTIFICATION		
Product Name:	Distillate 822	
Synonyms:	Petroleum Hydrocarbon; Gas Oil.	
Product Use:	Used in the manufacturing of flotation and spray oils, oil field drilling fluids and other industrial applications.	
Restrictions on Use:	Not available.	
Manufacturer/Supplier:	Prairie Mud Service 738 6 th Street Estevan, Sk S4A 1A4	
Phone Number:	(306) 634-3411	
Emergency Phone:	Canutec 613-996-6666 or cell *666	
Date of Preparation of SDS:	April 17, 2019	

Section 2: HAZARD(S) IDENTIFICATION

GHS INFORMATION

Classification:	Skin Irritation, Category 2
	Carcinogenicity, Category 1B
	Aspiration Hazard, Category 1

LABEL ELEMENTS

Hazard Pictogram(s):



Signal Word:	Danger
Hazard Statements:	Causes skin irritation. May cause cancer. May be fatal if swallowed and enters airways.

Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling.

- Wear protective gloves, protective clothing and eye protection.
- Response:If swallowed: Immediately call a poison center or doctor.If on skin: Wash with plenty of soap and water.If exposed or concerned: Get medical advice/attention.Do NOT induce vomiting.If skin irritation occurs: Get medical advice/attention.Take off contaminated clothing and wash it before reuse.



Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with applicable regional, national and local laws and regulations.

Hazards Not Otherwise Classified: Not applicable.

Ingredients with Unknown Toxicity: None.

This material is considered hazardous by the OSHA Hazard Communication Standard, (29 CFR 1910.1200).

1910.1200).				
Section 3: COMPOSITION / INFORMATION ON INGREDIENTS				
Hazardous Ingredient(s)		Common name / Synonyms	CAS No.	% wt./wt.
Distillates (petroleum), straight-run middle Polycyclic Aromatic Hydrocarbons		Not available. Not available.	64741-44-2 130498-29-2	100 variable
	Section 4: F	IRST-AID MEASURES		
Inhalation:	the heart stops, traine	rdiopulmonary resusci	mediately begin a	rtificial
	Signs/symptoms may	nptoms and effects: M include cough, sneezi s, and nose and throa	ng, nasal discharg	
Eye Contact:	If in eyes: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poisor center or doctor if you feel unwell.			
	Acute and delayed symptoms and effects: May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.			
Skin Contact:		plenty of soap and wat on. Take off contamin		
	• •	nptoms and effects: Ca include localized redn		
Ingestion:	doctor. If vomiting occ risk of aspiration. Nev If breathing or the hea artificial respiration (A	induce vomiting. Imm curs naturally, have vid er give anything by mo art stops, trained perso R) or cardiopulmonary lical attention immedia	tim lean forward to buth to an unconsc nnel should imme resuscitation (CP	o reduce the ious person. diately begin



	Acute and delayed symptoms and effects: May be fatal if swallowed and enters airways. May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.	
General Advice:	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).	
Note to Physicians:	Symptoms may not appear immediately.	
Section 5: FIRE-FIGHTING MEASURES		
FLAMMABILITY AND EXPLOSION INFORMATION		

Not flammable or combustible by OSHA/WHMIS criteria.

Sensitivity to Mechanical Impact: Sensitivity to Static Discharge:	This material is not sensitive to mechanical impact. This material is sensitive to static discharge at temperatures at or above the flash point.
MEANS OF EXTINCTION	
Suitable Extinguishing Media:	Small Fire: Dry chemical, CO2, water spray or regular foam.
	Large Fire: Water spray, fog or regular foam. Move containers from fire area if you can do it without risk.
Unsuitable Extinguishing Media:	Not available.
Products of Combustion:	Oxides of carbon. Oxides of sulphur. Aldehydes.
Protection of Firefighters:	Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

Section 6: ACCIDENTAL RELEASE MEASURES		
Emergency Procedures:	Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).	
Personal Precautions:	Do not touch or walk through spilled material. Use personal protection recommended in Section 8.	
Environmental Precautions:	Keep out of drains, sewers, ditches, and waterways.	
Methods for Containment:	Stop leak if without risk. Do not flush to sewer or allow to enter waterways.	
Methods for Clean-Up:	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.	
Other Information:	See Section 13 for disposal considerations.	



Section 7: HANDLING AND STORAGE

Handling:

Do not swallow. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. See Section 8 for information on Personal Protective Equipment.

Storage:

Store locked up. Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines Component

Distillates (petroleum), straight-run middle [CAS No. 64741-44-2]

ACGIH: A2; Exposure by all routes should be carefully controlled to levels as low as possible (2009); For Mineral oil, excluding metal working fluids; Poorly and mildly refined

OSHA: 5 mg/m³ (TWA); For Oil mist, mineral.

Polycyclic Aromatic Hydrocarbons [CAS No. 130498-29-2]

ACGIH: A2; BEI; Exposure by all routes should be carefully controlled to levels as low as possible (1990); For Benz[a]anthracene

for further information.

Wear protective clothing.

OSHA: 0.2 mg/m³ (TWA); For benzene-soluble fraction.

TWA: Time-Weighted Average

Engineering Controls:

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapour, gas, etc.) below recommended exposure limits.

PERSONAL PROTECTIVE EQUIPMENT (PPE)



Eye/Face Protection:

Wear safety glasses. Use equipment for eye protection that meets the standards referenced by CSA Standard CAN/CSA-Z94.3-92 and OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment.

Wear protective gloves. Consult manufacturer specifications

Hand Protection:

Skin and Body Protection:

Respiratory Protection:

If engineering controls and ventilation are not sufficient to control exposure to below the allowable limits then an appropriate NIOSH/MSHA approved air-purifying respirator that meets the requirements of CSA Standard CAN/CSA-



Z94.4-11, or self-contained breathing apparatus must be used. Supplied air breathing apparatus must be used when oxygen concentrations are low or if airborne concentrations exceed the limits of the air-purifying respirators.

General Hygiene Considerations:

Handle according to established industrial hygiene and safety practices. Consult a competent industrial hygienist to determine hazard potential and/or the PPE manufacturers to ensure adequate protection.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES		
Appearance:	Clear colourless oily liquid.	
Colour:	Colourless.	
Odour:	Hydrocarbon.	
Odour Threshold:	Not available.	
Physical State:	Liquid.	
pH:	Not available.	
Melting Point / Freezing Point:	Not available.	
Initial Boiling Point:	239 °C (462.2 °F)	
Boiling Range:	239 to 368.5 °C (462.2 to 695.3 °F)	
Flash Point:	114 °C (237.2 °F) (PMCC)	
Evaporation Rate:	Not available.	
Flammability (solid, gas):	Not applicable.	
Lower Flammability Limit:	Not available.	
Upper Flammability Limit:	Not available.	
Vapor Pressure:	< 1 kPa at 37.8 °C (100 °F) (Reid Vapour Pressure)	
Vapor Density:	4.5 (Air = 1)	
Relative Density:	0.85 to 0.95 (Water = 1)	
Solubilities:	Insoluble in water.	
Partition Coefficient: n- Octanol/Water:	Not available.	
Auto-ignition Temperature:	203 °C (397.4 °F) (Dodecane)	
Decomposition Temperature:	Not available.	
Viscosity:	Max. 5.7 cSt at 40 °C (104 °F)	
Percent Volatile, wt. %:	Not available.	



VOC content, wt. %:	Not available.	
Density:	800 to 900 kg/m³ at 15°C (59 °F)	
Coefficient of Water/Oil Distribution:	Not available.	
	Section 10: STABILITY AND REACTIVITY	
Reactivity:	Contact with incompatible materials. Sources of ignition. Exposure to heat.	
Chemical Stability:	Stat le under normal storage conditions.	
Possibility of Hazardous Reactions:	None known.	
Conditions to Avoid:	Contact with incompatible materials. Sources of ignition. Exposure to heat.	
Incompatible Materials:	Strong oxidizers.	
Hazardous Decomposition Products: Not available.		

Section 11: TOXICOLOGICAL INFORMATION

EFFECTS OF ACUTE EXPOSURE

Product Toxicity

Oral: Not available.

Dermal: Not available.

Inhalation: Not available.

Component Toxicity Component	CAS No.	LD50 oral	LD50 dermal	LC50
Distillates (petroleum), straight-run middle	64741-44-2	> 5000 mg/kg (rat)	> 2000 mg/kg (rabbit)	1700 mg/m ³ (rat); 4H
Polycyclic Aromatic Hydrocarbons	130498-29-2	Not available.	Not available.	Not available.

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Target Organs:Skin. Eyes. Gastrointestinal tract. Respiratory system. Bone
marrow. Liver. Central nervous system.

Symptoms (including delayed and immediate effects)

Inhalation: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

- **Eye:** May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.
- Skin: Causes skin irritation. Signs/symptoms may include localized redness, swelling, and itching.



Mobility in Environment:

Other Adverse Effects:

Ingestion: May be fatal if swallowed and enters airways. May cause gastrointestinal irritation.

Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Skin Sensitization:	Not available.				
Respiratory Sensitization	Not available.				
Medical Conditions Aggravated By Exposure		vailable.			
EFFECTS OF CHRONIC	EXPOSUR	E (from short a	and long-	term exposure)	
Target Organs:		es. Gastrointe entral nervous		ct. Respiratory system	n. Bone marrow.
Chronic Effects:	product with thes and lung	Prolonged or repeated contact may dry skin and cause irritation. This product contains Polycyclic Aromatic Hydrocarbons. Prolonged contact with these compounds has been associated with the induction of skin and lung tumours, anemia, disorders of the liver, bone marrow and lymphoid tissues.			
Carcinogenicity:	May cause cancer. This material contains Polycyclic Aromatic Hydrocarbons (PAHs), some of which are animal carcinogens.				
Component Carcinogeni Component Polycyclic Aromatic Hydrocarbons	city ACGIH A2	IARC Not listed.	NTP List 2	OSHA OSHA Carcinogen.	Prop 65 Listed.
Mutagenicity:	Not avai	Not available.			
Reproductive Effects:	Not available.				
Developmental Effects Teratogenicity:	Not available.				
Embryotoxicity:	Not available.				
Toxicologically Synergistic Materials: Not available.					
Section 12: ECOLOGICAL INFORMATION					
Ecotoxicity:	Not available.				
Persistence / Degradabil	tence / Degradability: Not available.				
Bioaccumulation / Accumulation: Not available.					

 Section 13: DISPOSAL CONSIDERATIONS

 Disposal Instructions:
 Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

Not available.

Not available.



Section 14: TRANSPORT INFORMATION

Standard Transportation Commodity Code: STCC#2911315

U.S. Department of Transportation (DOT) Proper Shipping Name: Not regulated.		
Class:	Not applicable.	
UN Number:	Not applicable.	
Packing Group:	Not applicable.	
Label Code:	Not applicable.	

Canada Transportation of Dangerous Goods (TDG)

	Section 15: REGULATORY INFORMATION
Label Code:	Not applicable.
Packing Group:	Not applicable.
UN Number:	Not applicable.
Class:	Not applicable.
ICAO/IATA Proper Shipping Name:	Not regulated.
Label Code:	Not applicable.
Packing Group:	Not applicable.
UN Number:	Not applicable.
Class:	Not applicable.
Proper Shipping Name:	Not regulated.

Chemical Inventories

US (TSCA)

The components of this product are in compliance with the chemical notification requirements of TSCA.

Canada (DSL)

The components of this product are in compliance with the chemical notification requirements of the NSN Regulations under CEPA, 1999.

Federal Regulations


Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.



WHMIS Classification:

Hazard Symbols:



Class D2A - Carcinogenicity. Class D2B - Skin irritant.

RTK List Listed. Listed.

CAA

(lbs.)

112(r) TQ

Not listed.

New Jersey

US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

Component	CAS No.	RTK List
Distillates (petroleum), straight-run middle	64741-44-2	SHHS

Note: SHHS = Special Health Hazard Substance

Pennsylvania

US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)			
Component	CAS No.	RTK List	
Distillates (petroleum), straight-run middle	64741-44-2	S	
Polycyclic Aromatic Hydrocarbons	130498-29-2	Listed.	

Note: S = Special Hazardous Substance

California

California Prop 65: WARNIN 3: This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Component	Type of Toxicity
Distillates (petroleum), straight-run middle	cancer
Polycyclic Aromatic Hydrocarbons	cancer
Ethylbenzene	cancer
Toluene	developmental; female



Section 16: OTHER INFORMATION

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for his own particular use.

Date of Preparation of SDS: April 17, 2019